



smartbloc[®]



... simply to lock!



When the tryings ...



... leads to finding!



Without disturbing locking button



* Up to 120 kg locking force
on the outside of the door

5 mm

Slim 5 mm rosettes



Return by two compression springs
made of high quality spring steel




Mounting on the drilled door
in just 30 seconds



Certified according to DIN EN 1906 category of use **3**
Classification: 3 | 7 | - | 0 | 4 | 0 | B


* **smartbloc®** products are regularly tested by certified test institutes. Among others, also the category locking force on the outside handle. This ensures that smartbloc® products lock reliably in public buildings even when force is used. In this test, the weight presses on the outside handle center from above. smartbloc® products achieve approx. 10 times the value of commercially available handle sets with locking mechanism. These are between 10 and 28 kg. All official test reports and results are available.

... simply to lock!



Certified according to DIN EN 1906 category of use **3**
Classification: **3 | 7 | - | 0 | 4 | 0 | B**

smartbloc® *hidden* Hero



... for every interior door!


smartbloc® hidden Hero

For all interior doors such as bedrooms, study rooms, home offices, youth rooms, ...
The door handle for every interior door. It only reveals its function and locking force when it is locked, elegantly reduced to the essentials. A real hidden hero!

No annoying sliding knob and without a key rosette!

smartbloc® products do not need electricity.

smartbloc® WC



... for every bathroom and toilet door!


smartbloc® WC

The door handle for all bathroom and toilet doors immediately demonstrates its intuitive locking function in the bathroom or toilet. It locks simply, securely and powerfully, offering the desired privacy in the bathroom and WC, absolute security.

No annoying sliding knob and no key rosette!

smartbloc® products do not need electricity.

smartbloc®*entry*



... for house and apartment entrance doors!

smartbloc® entry

A smart solution for all house and apartment entrance doors (lock opening angle up to max. 26 degrees). Offers simple and powerful daytime locking in the door handle! Never again locking out, because smartbloc® entry has a fixed and rotating knob on the outside in one! knob in one!

No annoying sliding knob!

smartbloc® products do not need electricity.

smartbloc[®]USA Knob/knob



... the USA-style knob/knob solution for every door.

smartbloc[®] Knob / knob

For all interior doors such as bedroom, study, home office, youth room, ...

A knob/knob solution for the entire living area: for WC/bathroom, for interior doors and entrance doors! Elegant knobs with an extremely slim look and a secure, simple and powerful locking function.


No annoying sliding knob and without a key rosette!

smartbloc[®] products do not need electricity.


Overview of the shapes




Shape 1106 Black satin
Page 12/13




Shape 1106 PVD Titan satin
Page 16/17




Shape 1106 Stainless steel
Page 20/21



Shape 1106 Black satin
Page 14/15



Shape 1106 PVD Titan satin
Page 18/19




Shape 1106 Stainless steel
Page 22/23


Certified according to **DIN EN 1906 category of use 3**



Shape 1040 Black satin
Page 24/25




Shape 1040 PVD Titan satin
Page 28/29




Shape 1040 Stainless steel
Page 32/33



Shape 1040 Black satin
Page 26/27



Shape 1040 PVD Titan satin
Page 30/31



Shape 1040 Stainless steel
Page 34/35

Certified according to **DIN EN 1906 category of use 3**

Overview knobs



Knob/knob Black satin
Page 36/37



Knob/knob PVD Titan satin
Page 40/41



Knob/knob Stainless steel
Page 44/45




Knob/knob Black satin
Page 38/39




Knob/knob PVD Titan satin
Page 42/43



Knob/knob Stainless steel
Page 46/47



Shape 1106 on round rosette



unlocked

locked


DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-RBS11064-R
SMB-RBS11064-L


smartbloc[®] **WC**
SMB-RBS11063-R
SMB-RBS11063-L

smartbloc[®] **entry**
SMB-RBS110654-R **PZ**
SMB-RBS110654-L **PZ**
incl. profile cylinder rosette

PU
20
20



Shape 1106 on square rosette




DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-QBS11064-R
SMB-QBS11064-L


smartbloc[®] **WC**
SMB-QBS11063-R
SMB-QBS11063-L

smartbloc[®] **entry**
SMB-QBS110654-R **PZ**
SMB-QBS110654-L **PZ**
incl. profile cylinder rosette

PU
20
20



Shape 1106 on round rosette




DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-RTT11064-R
SMB-RTT11064-L


smartbloc[®] **wc**
SMB-RTT11063-R
SMB-RTT11063-L

smartbloc[®] **entry**
SMB-RTT110654-R **PZ**
SMB-RTT110654-L **PZ**
incl. profile cylinder rosette

PU
20
20




Shape 1106 on square rosette



	smartbloc [®] <i>hidden</i> Hero	smartbloc [®] WC	smartbloc [®] entry	
DIN R	SMB-QTT11064-R	SMB-QTT11063-R	SMB-QTT110654-R PZ	PU
DIN L	SMB-QTT11064-L	SMB-QTT11063-L	SMB-QTT110654-L PZ	20
			incl. profile cylinder rosette	20



Shape 1106 on round rosette



unlocked

locked


DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-RM11064-R
SMB-RM11064-L


smartbloc[®] **wc**
SMB-RM11063-R
SMB-RM11063-L

smartbloc[®] **entry**
SMB-RM110654-R **PZ**
SMB-RM110654-L **PZ**
incl. profile cylinder rosette

PU
20
20



Shape 1106 on square rosette



unlocked

locked

DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-QM11064-R
SMB-QM11064-L

smartbloc[®] **wc**
SMB-QM11063-R
SMB-QM11063-L


smartbloc[®] **entry**
SMB-QM110654-R **PZ**
SMB-QM110654-L **PZ**
incl. profile cylinder rosette

PU
20
20



Black satin

Shape 1040 on round rosette



unlocked

locked

DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-RBS10404-R
SMB-RBS10404-L

smartbloc[®] **WC**
SMB-RBS10403-R
SMB-RBS10403-L


smartbloc[®] **entry**
SMB-RBS104054-R **PZ**
SMB-RBS104054-L **PZ**
incl. profile cylinder rosette

PU
20
20



Black satin

Shape 1040 on square rosette



DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-QBS10404-R
SMB-QBS10404-L

smartbloc[®] **WC**
SMB-QBS10403-R
SMB-QBS10403-L


smartbloc[®] **entry**
SMB-QBS104054-R **PZ**
SMB-QBS104054-L **PZ**
incl. profile cylinder rosette

PU
20
20



PVD Titan satin

Shape 1040 on round rosette



unlocked

locked

DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-RTT10404-R
SMB-RTT10404-L

smartbloc[®] **WC**
SMB-RTT10403-R
SMB-RTT10403-L


smartbloc[®] **entry**
SMB-RTT104054-R **PZ**
SMB-RTT104054-L **PZ**
incl. profile cylinder rosette

PU
20
20



PVD Titan satin

Shape 1040 on square rosette



unlocked

locked


DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-QTT10404-R
SMB-QTT10404-L

smartbloc[®] **WC**
SMB-QTT10403-R
SMB-QTT10403-L


smartbloc[®] **entry**
SMB-QTT104054-R **PZ**
SMB-QTT104054-L **PZ**
incl. profile cylinder rosette

PU
20
20



Stainless steel

Shape 1040 on round rosette



DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-RM10404-R
SMB-RM10404-L

smartbloc[®] **WC**
SMB-RM10403-R
SMB-RM10403-L


smartbloc[®] **entry**
SMB-RM104054-R **PZ**
SMB-RM104054-L **PZ**
incl. profile cylinder rosette

PU
20
20



Stainless steel

Shape 1040 on square rosette



unlocked

locked

DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-QM10404-R
SMB-QM10404-L

smartbloc[®] **WC**
SMB-QM10403-R
SMB-QM10403-L

smartbloc[®] **entry**
SMB-QM104054-R **PZ**
SMB-QM104054-L **PZ**
incl. profile cylinder rosette


PU
20
20



Black satin



Knob/knob on round rosette



unlocked

locked

DIN R
DIN L

smartbloc[®] *hidden* **Hero**

SMB-RBS16544-R
SMB-RBS16544-L

smartbloc[®] **WC**

SMB-RBS16543-R
SMB-RBS16543-L

smartbloc[®] **entry**

SMB-RBS165454-R **PZ**
SMB-RBS165454-L **PZ**
incl. profile cylinder rosette


PU
20
20



Black satin



Knob/knob on square rosette




	smartbloc [®] <i>hidden</i> Hero	smartbloc [®] wc	smartbloc [®] entry	€	PU
DIN R	SMB-QBS16544-R	SMB-QBS16543-R	SMB-QBS165454-R	PZ	99,90 20
DIN L	SMB-QBS16544-L	SMB-QBS16543-L	SMB-QBS165454-L	PZ	99,90 20
			incl. profile cylinder rosette		



PVD Titan satin



Knob/knob on round rosette



unlocked

locked

DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-RTT16544-R
SMB-RTT16544-L

smartbloc[®] **WC**
SMB-RTT16543-R
SMB-RTT16543-L

smartbloc[®] **entry**
SMB-RTT165454-R **PZ**
SMB-RTT165454-L **PZ**
incl. profile cylinder rosette


PU
20
20



PVD Titan satin



Knob/knob on square rosette



unlocked

locked

DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-QTT16544-R
SMB-QTT16544-L


smartbloc[®] **wc**
SMB-QTT16543-R
SMB-QTT16543-L

smartbloc[®] **entry**
SMB-QTT165454-R **PZ**
SMB-QTT165454-L **PZ**
incl. profile cylinder rosette

PU
20
20



Knob/knob on round rosette



DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-RM16544-R
SMB-RM16544-L

smartbloc[®] **wc**
SMB-RM16543-R
SMB-RM16543-L

smartbloc[®] **entry**
SMB-RM165454-R **PZ**
SMB-RM165454-L **PZ**
incl. profile cylinder rosette

PU
20
20



Knob/knob on square rosette



unlocked

locked

DIN R
DIN L

smartbloc[®] *hidden* **Hero**
SMB-QM16544-R
SMB-QM16544-L

smartbloc[®] **wc**
SMB-QM16543-R
SMB-QM16543-L

smartbloc[®] **entry**
SMB-QM165454-R **PZ**
SMB-QM165454-L **PZ**
incl. profile cylinder rosette

PU
20
20

Sticker user instructions for hotels and public buildings



3D sticker „push“
ø 15 mm




3D sticker „pull“
ø 15 mm

2 piece

„pull“
SMB-PULL001

„push“
SMB-PUSH001

Self-aligning drilling template



The assembly of smartbloc® products is very simple and in a very short time ...

smartbloc® drilling template

... much more important for the perfect functioning of all smartbloc® products are the precise drill holes in the door. All drill holes, both inside and outside, must be precisely positioned. We strongly recommend the use of the smartbloc® drilling template, which was developed precisely for this purpose and ensures the necessary precision when drilling.


Deviating drilling dimensions lead to restrictions in the function of smartbloc® products and to the exclusion of any warranty.

Drilling template with spring support

pcs. SMB-BOS

PU
32

Mortise locks without latch






without latch Black satin
 55/8 DIN R ESS-RBS550051
 55/8 DIN L ESS-RBS550061

Titan satin
 ESS-TTS550051
 ESS-TTS550061

Stainless steel
 ESS-RMS550051
 ESS-RMS550061

PU
 10
 10

Door hinges with matching surfaces



	Black satin	Titan satin	Stainless steel	PU
2-parts	HTB-BS2000	HTB-TT2000	HTB-M2000	14
3-parts	HTB-BS3000	HTB-TT3000	HTB-M3000	14

Presentation of the function



Become a smartbloc® premium sales partnern ...

smartbloc® sales promotion package

Various presentation and sales promotion elements are available to our sales partners at short notice and at any time. Information material on products and installation is available in printed and digital form.

Your sales representative will be happy to advise you.



Presentation premium partner



smartbloc® Counter presenter
smartbloc® Rollup
smartbloc® Counter

individual
RU-SMB-0001
PT-SMB-0001

Preview of smartbloc® 4.1 object
signal between door leaf and rose



Expected from 06/2024



Certified according to DIN EN 1906 category of use **4**
Classification: **4 | 7 | - | 0 | 1 | 5 | 0 | B**


K Keep
I it
S Simple
S Stupid

The KISS principle ...

describes the principle of how we at Qolibri® develop products and how we generally think and act as a company in all areas.

KISS „Keep it simple, Stupid!“ is to be understood here as a term that gives the statement an exaggeratedly flippant but well-meaning meaning: „Don't be so stupid as to rack your brains when you can just do it!“

The basic statement describes our endeavour as a company not to take unnecessary detours but to take the direct and therefore the shortest way in all areas.



The KISS principle demands the shortest path between task and solution.

